1983 ANNUAL INDEXES

Textile Research Journal

Volume 53

AUTHOR AND TITLE INDEX, pp. 799–804		SUBJECT INDEX, pp. 805–810	
MONTH	PAGES	MONTH	PAGES
January	1–60	July	391–452
February	61–142	August	453–514
March	143–204	September	515–576
April	205–266	October	577–638
May	267–328	November	639–716
June	329–390	December	717–810

AUTHOR AND TITLE INDEX

Abbot, G. M. Effect of Dust-Control Additives on the Open-End Spinning Performance of Cotton ... 482
Open-End Spun Corona-Treated Cotton ... 566
Abd El-Kader, H. I. Optical Properties and Birefringence Phenomena in Fibers (*Hamza*) ... 205
Abumiya, Noriko Dependence of Molecular Orientation, Crystallinity, and Thermal Dimensional Stability of Poly(ethylene Terephthalate) on Elongation Temperature (*Sawatari, Inoue, Matsuo*) ... 783
Aggarwal, V. K. Analysis of Size Droppings and Their Correlation with Warp Breakages (*Vidyarthi, Hari*) ... 334
Ahmad, H. Solubility Parameters for Dyeing Water Swollen, Solvent Exchanged Cotton with Anionic Dyes from Mixed Solvents (*Chavan, Venkata Rao*) ... 347
Ailawadi, A. Crimp Retraction of Textured Poly(ethylene Terephthalate) Yarn (*Gupta, Ganguly*) ... 520
Allgood, C. Architectural PTFE-Coated Glass Fabrics—Their Structure and Limitations (*Ansell, Hill*) ... 692
Anderson, C. A. Mechanisms of Raw Wool Scouring—The Role of the Protein Contaminant Layer ... 741
Andréasson, Gunnar Rheological Properties of Medical Tapes Used to Prevent Athletic Injuries (*Edberg*) ... 225
Andrews, M. W. Association Between Raw Wool Characteristics and Processing to Top (*Rottenbury, Brown*) 29
Ansell, M. P. Architectural PTFE-Coated Glass Fabrics—Their Structure and Limitations (*Hill, Allgood*) ... 692
Anthony, W. Stanley Effect of Gin Machinery and Moisture on Fine Dust in Cotton (*Columbus*) ... 71
Aravindanath, S. Electron Diffraction Study of Regenerated Cellulose Fibers (*Chaudhuri, Betrabet*) ... 701
Athar, Taimur Acrylic Size for Polyester Cotton Blends .. 791

Backe, Everett E. Disadvantages of Lint Retrieval at Ginning 638
Backer, Stanley Mechanics of Texturing Thermoplastic Yarns Part X: Effect of Frictional Snubbing on Pseudo False Twisting During Set Texturing (*Hsu*) ... 530
Bafford, Richard Influence of Foaming Gas on Foam Stability (*Gregorian, Duke*) ... 267
Baitinger, W. F. Foam Application of Phosphonium Salt Flame Retardants (*Gregorian, Namboodri, Young*) 148
Bajaj, P. Simultaneous Dyeing and Texturing of Polyester/Viscose Blended Yarn (*Sengupta, Sen*) ... 258
Baker, R. V. Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—West Texas Experiments, 1981 (*Lalor, Laird*) ... 98
Balasubramanian, N. Influence of Rotor Speed, Rotor Diameter, and Carding Conditions on Yarn Quality in Open-End Spinning (*Manohar, Rakshit*) ... 497
Ballman, Richard L. Solution Fracture Barrier in Wet Spinning (*Southern*) ... 230
Investigations of Polyester Fiber Process/Structure/Property Relationships Part I (*Miller, Southern*) ... 670
Barella, A. Relation Between Twist and Abrasion Resistance of Rotor Yarns Part I: Cotton Yarns, Viscose, and Acrylics (*Manich*) ... 453
Baril, Albert, Jr. Chemical Profiling of Washed and Mechanically Cleaned Cotton (*Rouselle, Montalvo*) ... 61
Barker, Roger L. Analysis of Heat Transfer Characteristics of Fabrics in an Open Flame Exposure (*Shalev*) ... 475
Beck, Keith R. Reagent Residues of DMEU on Cotton Fabric as a Function of Pad-Bath pH and Storage Period of the Treated Fabric (*Pasad*) ... 524
Bell, V. A. Developments in Wool Printing (*Lewis*) ... 125
Bendkowska, Wiesława Phenomena Occurring in Bursting Tests of Circular Fabric Samples Part I: Geometry of Distended Samples (*Żurek*) ... 19
Benisek, L. Evaluation of Carpets in the National Bureau of Standards Flooring Radiant Panel (*Phillips*) ... 36
Flame-Retardant, Petrol, Oil, Water, and Acid Repellent Wool (*Edmondson*) ... 329
Evaluation of Metal Complexes and Tetrabromophthalic Acid as Flame Retardants for Wool (*Craven*) ... 438
Bertoniere, Noelie R. Assessment of Fabric Performance Versus Reagent Location from Lick Roller Application of DMDHEU (*Rowland, King*) ... 187
Durable Press Performance and Reagent Distribution from Foam Application of DMDHEU (*Rowland, King*) .. 197
Spreading of Durable Press Reagents in Cotton Fabric (*Rowland*) ... 252
Migration and Location of Reagent Residues in Cotton Fabric (*King, Rowland*) ... 624
Betrabet, S. M. Electron Diffraction Study of Regenerated Cellulose Fibers (*Chaudhuri, Aravindanath*) ... 701
Bishop, D. G. Internal Lipids of Wool Fibers (*Leeder, Jones*) 402
Boylston, E. K. Electron Microscopic Evidence of Bilateral Structure in Developing Cotton Fibers (*Hebert*) ... 469
Britton, Peter N. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part I: The Method (*Sampson, Elliott, Graben, Gettys*) ... 363
Brown, G. H. Association Between Raw Wool Characteristics and Processing to Top (*Rottenbury, Andrews*) ... 29

Brown, J. R. Photochemical Ageing of Kevlar® 49 (*Browne, Burchill, Egglestone*) ... 214
Browne, N. M. Photochemical Ageing of Kevlar® 49 (*Brown, Burchill, Egglestone*) ... 214
Buckenham, P. Rapid Preparation of Fiber Snippets for the Fiber Fineness Distribution Analyzer (*Whiteley, Giri*) 388
Burchill, P. J. Photochemical Ageing of Kevlar® 49 (*Brown, Browne, Egglestone*) ... 214
Byrne, K. M. A Quantitative Method for In-Plant Determination of Hercosett 125® in Aqueous Solution (*Smith*) ... 360

Cagliostro, D. E. Surface Analyses of Carbon Fibers Produced from Polyacrylonitrile Fibers at Low Carbonization Temperatures ... 419
Carr, Wallace W. Energy Measurements on a Continuous Carpet Dyeing Range (*Tincher*) ... 219
Cates, D. M. Sorption and Transport Properties of Solvent-Treated Poly(ethylene Terephthalate) Fibers Using Disperse Dyes as Molecular Probes (*Kirby*) ... 586
Chattopadhyay, R. A Probability Model for Estimating Fiber Breakage in Rotor Spinning (*Salhotra, Kambo*) ... 435
Chaudhuri, N. K. Electron Diffraction Study of Regenerated Cellulose Fibers (*Aravindanath, Betrabet*) ... 701
Chavan, R. B. Dyeing of Water Swollen, Solvent Exchanged Cotton with Anionic Dyes from Dimethylformamide-Trichloroethylene Solvent Mixtures (*Venkata Rao*) 290
Solubility Parameters for Dyeing Water Swollen, Solvent Exchanged Cotton with Anionic Dyes from Mixed Solvents (*Venkata Rao, Ahmad*) ... 347
Dyeing Cotton with a Reactive Dye from Polar-Nonpolar Solvent Systems (*Subramanian*) ... 539
Chen, Chih Hung Dynamics, Air Drag, and Orientation Development in the Spunbonding Process for Nonwoven Fabrics (*White, Spruiell, Goswami*) ... 44
Columbus, Eugene P. Effect of Gin Machinery and Moisture on Fine Dust in Cotton (*Anthony*) ... 71
Connell, J. P. Predicting Wool Base of Greasy Wool by Near Infrared Reflectance Spectroscopy ... 651
Craven, P. C. Evaluation of Metal Complexes and Tetrabromophthalic Acid as Flame Retardants for Wool (*Benisek*) ... 438
Curiskis, J. I. Finite Element Analysis of the Composite Fiber, Alpha Keratin (*Feughelman*) ... 271

Daigle, Donald J. Unusual Effects of Some Zwitterion Compounds as Catalysts in Easy-Care Finishing (*Reinhardt*) 24
Dardis, R. Changes in Concentration in the U.S. Textile Industry (*Lee*) ... 632
Denby, E. F. Bending Strain in a Sharp Fabric Crease (*Ly*) 571
Wind Induced Transfer of Water Vapor and Heat Through Clothing (*Stuart*) ... 655
Dhawan, K. Reply to Comments on the Ideal Cotton Fiber Strength and Its Relation to Observed Strength, Maturity, and Fineness (*Neelakantan*) ... 575
Di Modica, G. Wool Modification by Dialdehyde Starch Treatment (*Marzona*) ... 729
Donaldson, Darrell J. Smoldering Phenomenon Associated with Cotton (*Yeadon, Harper*) ... 160
Doolan, J. G. Quantitative Determination of Scopoletin and Lacinilene C 7-Methyl Ether in Aqueous Extracts of Frost Killed Cotton Leaf and Bract by HPLC (*Fornes, Gilbert*) ... 209
Duke, Marshall Influence of Foaming Gas on Foam Stability (*Gregorian, Bafford*) ... 267
Durnam, D. J. A Microscopical Study of Residual Oily Soil Distribution on Fabrics of Varying Fiber Content (*Obendorf, Namasté*) ... 375

Eaton, James T. Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Heap, Greenwood, Leah, Stevens, Keher*) ... 109
Edberg, Bengt Rheological Properties of Medical Tapes Used to Prevent Athletic Injuries (*Andréasson*) ... 225
Edmondson, G. K. Flame-Retardant, Petrol, Oil, Water, and Acid Repellent Wool (*Benisek*) ... 329
Egglestone, G. T. Photochemical Ageing of Kevlar® 49 (*Brown, Browne, Burchill*) ... 214
El-Shiekh, Aly Mechanics of High Speed Texturing Part I: Theoretical Analysis of Belt Twisting (*Kang*) ... 1
Load-Deformation Behavior of Three-Dimensional Crimped Filaments: Theoretical Analysis and Experimental Verification (*Gupta*) ... 313
Ellingham, Paul E. Neutralizing Fluorozirconate and Fluorotitanate Treated Wools (*Gordon, Guy, Rosevear*) 577
Elliott, C. F., Jr. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part I: The Method (*Britton, Sampson, Graben, Gettys*) ... 363
Ellis, P. Frictional Forces in the Heald Eye (*Galuszynski*) 462
Elsner, O. Letter to the Editor ... 568
Erra, P. Influence of an Organic Solvent and a Cationic Surfactant on Sulphite Treatments for Preventing Shrinkage of Wool Fabrics (*Garcia Dominguez, Julia, Infante*) 665
Etters, J. N. An Automated Computation of Diffusion Equation Solutions (*Urbanik*) ... 598

Farnworth, B. Mechanisms of Heat Flow Through Clothing Insulation ... 717
Feughelman, M. Finite Element Analysis of the Composite Fiber, Alpha Keratin (*Curiskis*) ... 271
Fischer, J. J. Authors' Reply to Comments (*Morey, Sasser*) 569
Fisher, C. M. Analysis of Solids Obtained by Evaporation of Card Room Humidifier Water (*Fornes, Gilbert*) 504
Flor, Richard V. Determining Acrylic and Modacrylic Fibers in Blends by Using N,N-Dimethylformamide or N,N-Dimethylacetamide (*Prager*) ... 15
Florentine, Robert A. Magnaweave Process—From Fundamentals to Applications ... 620
Fornes, R. E. Isolation of Indole-3 Carboxaldehyde from Cotton Plant Parts (*Sankar, Gilbert*) ... 51
Quantitative Determination of Scopoletin and Lacinilene C 7-Methyl Ether in Aqueous Extracts of Frost Killed Cotton Leaf and Bract by HPLC (*Doolan, Gilbert*) 209
Analysis of Solids Obtained by Evaporation of Card Room Humidifier Water (*Fisher, Gilbert*) ... 504
Frick, J. G., Jr. An Imidazolidinone-Glyoxal Reactant for Cellulose (*Harper*) ... 660
Finishing Agents for Cotton from Acrylamide and Dialdehydes (*Harper*) ... 758
Friedman, H. L. Design and Use of a Cyclic Tensile Abrader for Filaments and Yarns—A Study of Polyester Monofilament Wear (*Miller, Turner*) ... 733

Galuszynski, S. Frictional Forces in the Heald Eye (*Ellis*) 462
Ganguly, P. K. Crimp Retraction of Textured Poly(ethylene Terephthalate) Yarn (*Gupta, Ailawadi*) ... 520
Garcia Dominguez, J. Influence of an Organic Solvent and a Cationic Surfactant on Sulphite Treatments for Preventing Shrinkage of Wool Fabrics (*Erra, Julia, Infante*) 665
Gaucher, Marian L. Predicting the Drape Coefficient of Knitted Fabrics (*King, Johnston*) ... 297
Gettys, W. E. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part I: The Method (*Britton, Sampson, Elliott, Graben*) ... 363
Gilbert, R. D. Isolation of Indole-3 Carboxaldehyde from Cotton Plant Parts (*Sankar, Fornes*) ... 51
Quantitative Determination of Scopoletin and Lacinilene C 7-Methyl Ether in Aqueous Extracts of Frost Killed Cotton Leaf and Bract by HPLC (*Doolan, Fornes*) 209
Analysis of Solids Obtained by Evaporation of Card Room Humidifier Water (*Fisher, Fornes*) ... 504

Giri, B. Rapid Preparation of Fiber Snippets for the Fiber Fineness Distribution Analyzer (*Buckenham, Whiteley*) 388
Gordon, Peter G. Neutralizing Fluorozirconate and Fluorotitanate Treated Wools (*Ellingham, Guy, Rosevear*) 577
Goswami, Bhuvenesh C. Dynamics, Air Drag, and Orientation Development in the Spunbonding Process for Nonwoven Fabrics (*Chen, White, Spruiell*) 44
Sorption of Air Pollutants onto Textiles (*Walters, Vigo*) 354
Graben, H. W. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part I: The Method (*Britton, Sampson, Elliott, Gettys*) 363
Graham, C. O. Cotton Outdoor Fabrics Reinforced with Glass Fiber (*Ruppenicker*) 120
Greenwood, Peter F. Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Heap, Leah, Eaton, Stevens, Keher*) 109
Gregorian, Razmic S. Foam Application of Phosphonium Salt Flame Retardants (*Namboodri, Young, Baitinger*) 148
Influence of Foaming Gas on Foam Stability (*Bafford, Duke*) 267
Griffin, A. C. Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—Midsouth Experiments, 1981 (*Mangialardi*) 92
Groot Wassink, J. E-NTU Method as a Mass Transfer Model in Design and Operation of Textile Finishing Equipment (*van der Linden*) 751
Gupta, V. B. Crimp Retraction of Textured Poly(ethylene Terephthalate) Yarn (*Ailawadi, Ganguly*) 520
Gupta, D. K. Load-Deformation Behavior of Three-Dimensional Crimped Filaments: Theoretical Analysis and Experimental Verification (*El-Shiekh*) 313
Guy, Frances Neutralizing Fluorozirconate and Fluorotitanate Treated Wools (*Ellingham, Gordon, Rosevear*) 577

Hamza, A. A. Optical Properties and Birefringence Phenomena in Fibers (*Abd El-Kader*) 205
Hanley, J. H. A New Method for Microdust and Trash Measurement in Bale or Processed Fiber (*Shofner, Lalor*) 78
Hari, P. K. Analysis of Size Droppings and Their Correlation with Warp Breakages (*Vidyarthi, Aggarwal*) 334
Harper, Robert J., Jr. Smoldering Phenomenon Associated with Cotton (*Donaldson, Yeadon*) 160
An Imidazolidinone-Glyoxal Reactant for Cellulose (*Frick*) 660
Finishing Agents for Cotton from Acrylamide and Dialdehydes (*Frick*) 758
Harris, James A. Limitations of Cold Sodium Sulfite Titration Methods for Free Formaldehyde in Textiles (*Kottes Andrews, Reinhardt*) 688
Hatakeyama, Hyoe Effect of Bound Water on Tensile Properties of Native Cellulose (*Nakamura, Hatakeyama*) 682
Hatakeyama, Tatsuko Effect of Bound Water on Tensile Properties of Native Cellulose (*Nakamura, Hatakeyama*) 682
Heap, S. Allen Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Greenwood, Leah, Eaton, Stevens, Keher*) 109
Hearne, E. R. Behavior of Loose Fibrous Beds During Centrifuging Part II: Bulk Density of Fibrous Beds Subjected to Centrifugal Forces (*Nossar*) 8
Behavior of Loose Fibrous Beds During Centrifuging Part III: Location, Shape, and Size of Droplets of Surface Moisture (*Nossar*) 236
Behavior of Loose Fibrous Beds During Centrifuging Part IV: Prediction of Final Regain (*Nossar*) 303
Hebert, J. J. Electron Microscopic Evidence of Bilateral Structure in Developing Cotton Fibers (*Boylston*) 469
Heintz, C. E. Authors' Reply to Comments (*Wyatt*) 570
Hill, C. A. S. Architectural PTFE-Coated Glass Fabrics—Their Structure and Limitations (*Ansell, Allgood*) 62
Holcombe, B. V. Dry Heat Transfer Characteristics of Underwear Fabrics (*Hoschke*) 368
Holt, A. Effect of Additives on the Structure of Melt-Spun Poly(ethylene Terephthalate) (*Warner*) 486
Hoschke, B. N. Dry Heat Transfer Characteristics of Underwear Fabrics (*Holcombe*) 368
Howaldt, M. Laser-Doppler Anemometry to Study Fluid Transport in Fibrous Assemblies (*Yoganathan*) 544
Hsu, Peter Mechanics of Texturing Thermoplastic Yarns Part X: Effect of Frictional Snubbing on Pseudo False Twisting During Set Texturing (*Backer*) 530

Infante, R. Influence of an Organic Solvent and a Cationic Surfactant on Sulphite Treatments for Preventing Shrinkage of Wool Fabrics (*Erra, Garcia Dominguez, Julia*) 665
Inoue, Kaori Dependence of Molecular Orientation, Crystallinity, and Thermal Dimensional Stability of Poly(ethylene Terephthalate) on Elongation Temperature (*Sawatari, Abumiya, Matsuo*) 783

Jain, D. K. Dyeing of Modified Polypropylene: Cationic Dyes on Chlorinated Polypropylene (*Shah*) 274
Lightfastness of Lanasol (Acid Reactive) Dyes on Drawn and Undrawn Nylons (*Shah*) 583
Jellinek, Thomas Shrink-Resist Treatment of Wool with Epoxy-Functional Acrylic Emulsions—Polyethylene Polyamines as Curing Agents 763
Johnston, Bruce Predicting the Drape Coefficient of Knitted Fabrics (*Gaucher, King*) 297
Jones, L. N. Internal Lipids of Wool Fibers (*Leeder, Bishop*) 402
Julia, R. Influence of an Organic Solvent and a Cationic Surfactant on Sulphite Treatments for Preventing Shrinkage of Wool Fabrics (*Erra, Garcia Dominguez, Infante*) 665

Kadolph, Sara J. Comparison of Performance Characteristics of Seven Fusible Interfacings (*Koenig*) 341
Kalyanaraman, A. R. An Electronic Instrument to Measure Stiffness of Fabrics (*Sivaramakrishnan*) 573
Kamath, Y. K. Microspectrophotometric Study of Ozone Fading of Disperse Dyes in Nylon (*Ruetsch, Weigmann*) 391
Kambo, N. S. A Probability Model for Estimating Fiber Breakage in Rotor Spinning (*Salhotra, Chattopadhyay*) 435
Kang, Tae Jin Mechanics of High Speed Texturing Part I: Theoretical Analysis of Belt Twisting (*El-Shiekh*) 1
Keher, Pauline Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Heap, Greenwood, Leah, Eaton, Stevens*) 109
King, Martin W. Predicting the Drape Coefficient of Knitted Fabrics (*Gaucher, Johnston*) 297
King, Walter D. Assessment of Fabric Performance Versus Reagent Location from Lick Roller Application of DMDHEU (*Rowland, Bertoniere*) 187
Durable Press Performance and Reagent Distribution from Foam Application of DMDHEU (*Rowland, Bertoniere*) 197
Migration and Location of Reagent Residues in Cotton Fabric (*Bertoniere, Rowland*) 624
Kirby, R. D. Sorption and Transport Properties of Solvent-Treated Poly(ethylene Terephthalate) Fibers Using Disperse Dyes as Molecular Probes (*Cates*) 586
Koenig, Sharon K. Comparison of Performance Characteristics of Seven Fusible Interfacings (*Kadolph*) 341
Kottes Andrews, B. A. Limitations of Cold Sodium Sulfite Titration Methods for Free Formaldehyde in Textiles (*Reinhardt, Harris*) 688
Krishna Iyer, K. R. Birefringence of Stretched Cellulose Films (*Sreenivasan, Patil*) 442

Krowicki, Richard S. An Examination of Perel's Length Index in Slivers ... 327
Kulkarni, V. G. Influence of Nutrition on Some Properties of High- and Low-Crimp Merino Wools and Their Cellular Components ... 712

Lahiri, A. Spinning Value of Jute Fiber (*Saha*) ... 383
Laird, J. W. Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—West Texas Experiments, 1981 (*Baker, Lalor*) ... 98
Lalor, W. F. A New Method for Microdust and Trash Measurement in Bale or Processed Fiber (*Shofner, Hanley*) 78
Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—West Texas Experiments, 1981 (*Baker, Laird*) ... 98
Leah, Robert D. Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Heap, Greenwood, Eaton, Stevens, Keher*) ... 109
Lee, Yen-Ching Changes in Concentration in the U.S. Textile Industry (*Dardis*) ... 632
Leeder, J. D. Internal Lipids of Wool Fibers (*Bishop, Jones*) 402
Lewis, D. M. Developments in Wool Printing (*Bell*) ... 125
Louis, Gain L. An Improved SRRC No-Twist Yarn System (*Salaun*) ... 103
A Comparison of Different Open-End Machines Fed with Slivers from Different Cottons and Cards (*Simpson*) 551
Processing Mechanically Cleaned and Shortened Scoured Wool on the Cotton System (*Shepard, Simpson*) ... 706
Lucas, L. J. Mathematical Fitting of Modulus-Strain Curves of Poly(ethylene Terephthalate) Industrial Yarns ... 771
Lunney, H. W. M. Distribution of Fiber Diameter in Wool Tops ... 281
Influence on Wool Testing of Fragments Associated with Wool (*Marler*) ... 677
Ly, Nhan G. Bending Strain in a Sharp Fabric Crease (*Denby*) 571

Maejima, Masako Applying Capillarity To Estimation of Space Structure of Fabrics ... 427
Makinson, K. Rachel A TEM Study of the Causes of Failure in the Chlorine-Hercosett® Shrink-Resist Process (*Tester*) ... 415
Makwana, D. N. Evaluation of Micronaire Value by Digital Fibrograph (*Munshi*) ... 489
Mangialardi, G. J., Jr. Systematic Errors in Shirley Analyzer Measurements (*Montalvo*) ... 408
Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—Midsouth Experiments, 1981 (*Griffin*) ... 92
Manich, A. Relation Between Twist and Abrasion Resistance of Rotor Yarns Part I: Cotton Yarns, Viscose, and Acrylics (*Barella*) ... 453
Manohar, J. S. Influence of Rotor Speed, Rotor Diameter, and Carding Conditions on Yarn Quality in Open-End Spinning (*Rakshit, Balasubramanian*) ... 497
Marler, J. W. Influence on Wool Testing of Fragments Associated with Wool (*Lunney*) ... 677
Marshall, R. C. Protein Changes After Short Thermal Treatments of Wool Fabrics (*Souren, Zahn*) ... 792
Marzona, M. Wool Modification by Dialdehyde Starch Treatment (*Di Modica*) ... 729
Matsukawa, Saburo Effect of Preheating and Alkali Treatment on Crease Recovery of Rayon Fabrics (*Sakurai, Nakamura, Tonami*) ... 592
Matsuo, Masaru Dependence of Molecular Orientation, Crystallinity, and Thermal Dimensional Stability of Poly(ethylene Terephthalate) on Elongation Temperature (*Sawatari, Abumiya, Inoue*) ... 783
Mehta, P. N. Development of a New Fire Services Wool Tunic (*Norman*) ... 153
Miller, B. Design and Use of a Cyclic Tensile Abrader for Filaments and Yarns—A Study of Polyester Monofilament Wear (*Friedman, Turner*) ... 733
Miller, R. W. Investigations of Polyester Fiber Process/Structure/Property Relationships Part I (*Southern, Ballman*) ... 670
Montalvo, Joseph G., Jr. Chemical Profiling of Washed and Mechanically Cleaned Cotton (*Rouselle, Baril*) ... 61
Systematic Errors in Shirley Analyzer Measurements (*Mangialardi*) ... 408
Morey, P. R. Authors' Reply to Comments (*Fischer, Sasser*) 569
Morris, Cletus E. Use of Aluminum or Titanium Compounds to Bind Antibacterial Agents to Cotton Fabric (*Welch*) 143
Antimicrobial Finishing of Cotton with Zinc Pyrithione (*Welch*) ... 725
Morton, Glenn P. Interactions of Fiber, Finish, and Wash Conditions in Laundering Cotton-Containing Fabrics (*Thomas*) ... 165
Mukherjee, A. C. Infrared Spectra of Jute Fibers at Different Stages of Growth (*Mukhopadhyay*) ... 473
Mukhopadhyay, U. Infrared Spectra of Jute Fibers at Different Stages of Growth (*Mukherjee*) ... 473
Munshi, V. G. Evaluation of Micronaire Value by Digital Fibrograph (*Makwana*) ... 489

Nakamura, Kunio Effect of Bound Water on Tensile Properties of Native Cellulose (*Hatakeyama, Hatakeyama*) 682
Nakamura, Yoshiharu Effect of Preheating and Alkali Treatment on Crease Recovery of Rayon Fabrics (*Matsukawa, Sakurai, Tonami*) ... 592
Namasté, Y. M. N. A Microscopical Study of Residual Oily Soil Distribution on Fabrics of Varying Fiber Content (*Obendorf, Durnam*) ... 375
Namboodri, C. G. Foam Application of Phosphonium Salt Flame Retardants (*Gregorian, Young, Baitinger*) ... 148
Narasimham, T. Spectral Analysis of Yarn Irregularity and Its Relationship to Other Yarn Characteristics (*Sharieff, Vinzanekar*) ... 606
Needham, D. K. Lint Retrieval at Ginning: Further Study of Bale Value and Spinning Performance—Background and Experimental Design ... 90
Neelakantan, P. Reply to Comments on the Ideal Cotton Fiber Strength and Its Relation to Observed Strength, Maturity, and Fineness (*Dhawan*) ... 575
Norman, D. L. Development of a New Fire Services Wool Tunic (*Mehta*) ... 153
Nossar, M. S. Behavior of Loose Fibrous Beds During Centrifuging Part II: Bulk Density of Fibrous Beds Subjected to Centrifugal Forces (*Hearne*) ... 8
Behavior of Loose Fibrous Beds During Centrifuging Part III: Location, Shape, and Size of Droplets of Surface Moisture (*Hearne*) ... 236
Behavior of Loose Fibrous Beds During Centrifuging Part IV: Prediction of Final Regain (*Hearne*) ... 303

Obendorf, S. K. A Microscopical Study of Residual Oily Soil Distribution on Fabrics of Varying Fiber Content (*Namasté, Durnam*) ... 375
Oka, P. G. Cross-Sectional Shape of Cotton Fibers Belonging to Different Species (*Petkar, Sundaram*) ... 778

Paek, Soae L. Consumer Preference for Skin Contact Wear Fabrics ... 264
Pasad, Dilip M. Reagent Residues of DMEU on Cotton Fabric as a Function of Pad-Bath pH and Storage Period of the Treated Fabric (*Beck*) ... 524
Patil, N. B. Birefringence of Stretched Cellulose Films (*Krishna Iyer, Sreenivasan*) ... 442

Perkins, Henry H., Jr. Identification and Processing of Honeydew-Contaminated Cottons ... 508
Petkar, B. M. Cross-Sectional Shape of Cotton Fibers Belonging to Different Species (*Oka, Sundaram*) ... 778
Phillips, W. A. Evaluation of Carpets in the National Bureau of Standards Flooring Radiant Panel (*Benisek*) ... 36
Prager, Manfred J. Determining Acrylic and Modacrylic Fibers in Blends by Using N,N-Dimethylformamide or N,N-Dimethylacetamide (*Flor*) ... 15

Raheel, Mastura Modifying Wear Life of All-Cotton Fabrics Part III: Liquid Ammonia in Conjunction with Caustic Soda as a Pretreatment for Durable Press Finish ... 557
Modifying Wear Life of All-Cotton Fabrics Part IV: SEM Studies of Chemically Treated Fabrics Abraded Under Various Conditions ... 639
Rajaraman, G. S. Nep Counting at the Card Using Templates 794
Rakshit, A. K. Influence of Rotor Speed, Rotor Diameter, and Carding Conditions on Yarn Quality in Open-End Spinning (*Manohar, Balasubramanian*) ... 497
Reinhardt, Robert M. Unusual Effects of Some Zwitterion Compounds as Catalysts in Easy-Care Finishing (*Daigle*) 24
Vapor Transport of Formaldehyde to Cotton ... 175
Relationship Between Residual Catalyst in Finished Cotton and Formaldehyde Release ... 493
Limitations of Cold Sodium Sulfite Titration Methods for Free Formaldehyde in Textiles (*Kottes Andrews, Harris*) ... 688
Rosevear, Judi Neutralizing Fluorozirconate and Fluorotitanate Treated Wools (*Ellingham, Gordon, Guy*) ... 577
Rottenbury, R. A. Association Between Raw Wool Characteristics and Processing to Top (*Andrews, Brown*) 29
Rouselle, Marie-Alice Chemical Profiling of Washed and Mechanically Cleaned Cotton (*Montalvo, Baril*) ... 61
Rowland, Stanley P. Assessment of Fabric Performance Versus Reagent Location from Lick Roller Application of DMDHEU (*Bertoniere, King*) ... 187
Durable Press Performance and Reagent Distribution from Foam Application of DMDHEU (*Bertoniere, King*) 197
Spreading of Durable Press Reagents in Cotton Fabric (*Bertoniere*) ... 252
Migration and Location of Reagent Residues in Cotton Fabric (*Bertoniere, King*) ... 624
Ruetsch, S. B. Microspectrophotometric Study of Ozone Fading of Disperse Dyes in Nylon (*Kamath, Weigmann*) 391
Ruppenicker, G. F. Cotton Outdoor Fabrics Reinforced with Glass Fiber (*Graham*) ... 120

Saha, R. N. Spinning Value of Jute Fiber (*Lahiri*) ... 383
Saito, Masako Dispersion and Polar Force Components of Surface Tension of Some Polymer Films (*Yabe*) ... 54
Sakurai, Kensuke Effect of Preheating and Alkali Treatment on Crease Recovery of Rayon Fabrics (*Matsukawa, Nakamura, Tonami*) ... 592
Salaun, Harold L. An Improved SRRC No-Twist Yarn System (*Louis*) ... 103
Salhotra, K. R. A Probability Model for Estimating Fiber Breakage in Rotor Spinning (*Kambo, Chattopadhyay*) 435
Sampson, Arthur J. Computer Simulation of the Mechanical Properties of Nonwoven Fabrics Part I: The Method (*Britton, Elliott, Graben, Gettys*) ... 363
Sankar, S. S. Isolation of Indole-3 Carboxaldehyde from Cotton Plant Parts (*Gilbert, Fornes*) ... 51
Sasser, P. E. Authors' Reply to Comments (*Morey, Fischer*) 569
Sawatari, Chie Dependence of Molecular Orientation, Crystallinity, and Thermal Dimensional Stability of Poly(ethylene Terephthalate) on Elongation Temperature (*Abumiya, Inoue, Matsuo*) ... 783
Sen, Kushal Simultaneous Dyeing and Texturing of Polyester/Viscose Blended Yarn (*Sengupta, Bajaj*) ... 258
Sengupta, A. K. Simultaneous Dyeing and Texturing of Polyester/Viscose Blended Yarn (*Bajaj, Sen*) ... 258
Shah, C. D. Dyeing of Modified Polypropylene: Cationic Dyes on Chlorinated Polypropylene (*Jain*) ... 274
Lightfastness of Lanasol (Acid Reactive) Dyes on Drawn and Undrawn Nylons (*Jain*) ... 583
Shalev, Itzhak Analysis of Heat Transfer Characteristics of Fabrics in an Open Flame Exposure (*Barker*) ... 475
Sharieff, I. Spectral Analysis of Yarn Irregularity and Its Relationship to Other Yarn Characteristics (*Vinzanekar, Narasimham*) ... 606
Shepard, Charles L. Processing Mechanically Cleaned and Shortened Scoured Wool on the Cotton System (*Louis, Simpson*) ... 706
Shofner, F. M. A New Method for Microdust and Trash Measurement in Bale or Processed Fiber (*Lalor, Hanley*) 78
Simpson, Jack Effect of Single and Double Carding on Comber Noil Removal and Yarn Properties ... 457
A Comparison of Different Open-End Machines Fed with Slivers from Different Cottons and Cards (*Louis*) ... 551
Processing Mechanically Cleaned and Shortened Scoured Wool on the Cotton System (*Shepard, Louis*) ... 706
Sivaramakrishnan, A. An Electronic Instrument to Measure Stiffness of Fabrics (*Kalyanaraman*) ... 573
Smith, A. J. A Quantitative Method for In-Plant Determination of Hercosett 125® in Aqueous Solution (*Byrne*) 360
Souren, I. Protein Changes After Short Thermal Treatments of Wool Fabrics (*Marshall, Zahn*) ... 792
Southern, John H. Solution Fracture Barrier in Wet Spinning (*Ballman*) ... 230
Investigations of Polyester Fiber Process/Structure/Property Relationships Part I (*Miller, Ballman*) ... 670
Spruiell, Joseph E. Dynamics, Air Drag, and Orientation Development in the Spunbonding Process for Nonwoven Fabrics (*Chen, White, Goswami*) ... 44
Sreenivasan, S. Birefringence of Stretched Cellulose Films (*Krishna Iyer, Patil*) ... 442
Stapleton, I. W. Shrink-Resist Efficiency Enhancement of Two Polymers on Wool by Polyamine Pretreatments 445
Stevens, Jill C. Prediction of Finished Weight and Shrinkage of Cotton Knits—The Starfish Project Part I: Introduction and General Overview (*Heap, Greenwood, Leah, Eaton, Keher*) ... 109
Stuart, I. M. Wind Induced Transfer of Water Vapor and Heat Through Clothing (*Denby*) ... 655
Subramanian, A. Dyeing Cotton with a Reactive Dye from Polar-Nonpolar Solvent Systems (*Chavan*) ... 539
Sundaram, V. Cross-Sectional Shape of Cotton Fibers Belonging to Different Species (*Petkar, Oka*) ... 778

Tester, D. H. A TEM Study of the Causes of Failure in the Chlorine-Hercosett® Shrink-Resist Process (*Makinson*) 415
Thomas, LaVerne B. Interactions of Fiber, Finish, and Wash Conditions in Laundering Cotton-Containing Fabrics (*Morton*) ... 165
Tincher, Wayne C. Energy Measurements on a Continuous Carpet Dyeing Range (*Carr*) ... 219
Tonami, Hiroaki Effect of Preheating and Alkali Treatment on Crease Recovery of Rayon Fabrics (*Matsukawa, Sakurai, Nakamura*) ... 592
Turner, R. Design and Use of a Cyclic Tensile Abrader for Filaments and Yarns—A Study of Polyester Monofilament Wear (*Miller, Friedman*) ... 733

Urbanik, A. An Automated Computation of Diffusion Equation Solutions (*Etters*) ... 598

van der Linden, H. J. L. J. E-NTU Method as a Mass Transfer Model in Design and Operation of Textile Finishing Equipment (*Groot Wassink*) ... 751

Venkata, Rao J. Dyeing of Water Swollen, Solvent Exchanged Cotton with Anionic Dyes from Dimethylformamide-Trichloroethylene Solvent Mixtures (*Chavan*) 290
Solubility Parameters for Dyeing Water Swollen, Solvent Exchanged Cotton with Anionic Dyes from Mixed Solvents (*Chavan, Ahmad*) 347
Vidyarthi, S. P. Analysis of Size Droppings and Their Correlation with Warp Breakages (*Hari, Aggarwal*) 334
Vigo, Tyrone L. Sorption of Air Pollutants onto Textiles (*Walters, Goswami*) 354
Vinzanekar, S. G. Spectral Analysis of Yarn Irregularity and Its Relationship to Other Yarn Characteristics (*Sharieff, Narasimham*) 606

Wade, Ricardo H. Vapor Phase Treatments of Cotton Dust to Deactivate Endotoxins 615
Walters, Billie Sorption of Air Pollutants onto Textiles (*Goswami, Vigo*) 354
Warner, S. B. Effect of Additives on the Structure of Melt-Spun Poly(ethylene Terephthalate) (*Holt*) 486
Weigmann, H.-D. Microspectrophotometric Study of Ozone Fading of Disperse Dyes in Nylon (*Kamath, Ruetsch*) 391
Welch, Clark M. Use of Aluminum or Titanium Compounds to Bind Antibacterial Agents to Cotton Fabric (*Morris*) 143
Glyoxal as a Formaldehyde-Free Durable Press Reagent for Mild Curing Applications 181
Antimicrobial Finishing of Cotton with Zinc Pyrithione (*Morris*) 725
White, James L. Dynamics, Air Drag, and Orientation Development in the Spunbonding Process for Nonwoven Fabrics (*Chen, Spruiell, Goswami*) 44
Whiteley, K. J. Rapid Preparation of Fiber Snippets for the Fiber Fineness Distribution Analyzer (*Buckenham, Giri*) 388
Wyatt, B. G. Authors' Reply to Comments (*Heintz*) 570

Yabe, Akihiko Dispersion and Polar Force Components of Surface Tension of Some Polymer Films (*Saito*) ... 54
Yatsu, Lawrence Y. Morphological and Physical Effects of Colchicine Treatment on Cotton (*Gossypium hirsutum* L.) Fibers 515
Yeadon, David A. Smoldering Phenomenon Associated with Cotton (*Donaldson, Harper*) 160
Yoganathan, A. P. Laser-Doppler Anemometry to Study Fluid Transport in Fibrous Assemblies (*Howaldt*) .. 544
Young, R. E. Foam Application of Phosphonium Salt Flame Retardants (*Gregorian, Namboodri, Baitinger*) 148

Zahn, H. Protein Changes After Short Thermal Treatments of Wool Fabrics (*Marshall, Souren*) 792
Żurek, Witold Phenomena Occurring in Bursting Tests of Circular Fabric Samples Part I: Geometry of Distended Samples (*Bendkowska*) 19

SUBJECT INDEX

Abrasion
- **of all-cotton fabrics:** modifying wear life: SEM studies of chemically treated fabrics abraded under various conditions *Raheel* ... 639
- **of polyester monofilament:** design and use of cyclic tensile abrader for filaments and yarns *Miller, Friedman, Turner* ... 733
- **resistance and twist:** relation between: cotton, viscose, and acrylic rotor yarns *Barella, Manich* ... 453

Acrylics
- **and modacrylic fibers:** determining presence in blends using DMF and DMAC *Flor, Prager* ... 15
- **emulsions:** epoxy functional: shrink-resist treatments of wool: polyethylene polyamines as curing agents *Jellinek* ... 763

Aging
- **photochemical:** of Kevlar® 49 *Brown, Browne, Burchill, Egglestone* ... 214

Birefringence
- **of stretched cellulose films:** planar orientation *Krishna Iyer, Sreenivasan, Patil* ... 442
- **phenomena and optical properties** in fibers *Hamza, Abd El-Kader* ... 205

Blends
- **determining acrylic and modacrylic fibers** using DMF and DMAC *Flor, Prager* ... 15
- **polyester cotton:** acrylic size for *Athar* ... 791

Byssinosis
- **analysis of solids** obtained by evaporation of card room humidifier water *Fisher, Fornes, Gilbert* ... 504
- **deactivating endotoxins:** vapor phase treatments of cotton dust *Wade* ... 615
- **scopoletin and lacinilene C 7-methyl ether:** quantitative determination in aqueous extracts of frost-killed cotton leaf and bract by HPLC *Doolan, Fornes, Gilbert* ... 209

Capillarity
- **applying to estimation of space structure:** fabric geometry *Maejima* ... 427

Carbonization
- **at low temperatures:** surface analyses of carbon fibers produced from polyacrylonitrile fibers *Cagliostro* ... 419

Carding
- **neppiness of cotton at the card:** counting neps using templates *Rajaraman* ... 794
- **single and double:** effect on comber noil removal and yarn properties *Simpson* ... 457

Carpets
- **continuous dyeing of:** energy measurements *Carr, Tincher* 219
- **evaluation of** in NBS flooring radiant panel *Benisek, Phillips* ... 36

Catalysts
- **residual:** in finished cotton: relationship with formaldehyde release *Reinhardt* ... 493
- **zwitterion compounds:** unusual effects in easy-care finishing *Daigle, Reinhardt* ... 24

Cellulose
- **imidazolidinone-glyoxal reactant for:** formaldehyde-free finishing agent *Frick, Harper* ... 660
- **native:** effect of bound water on tensile properties of *Nakamura, Hatakeyama, Hatakeyama* ... 682
- **regenerated fibers:** electron diffraction study of lattices *Chaudhuri, Aravindanath, Betrabet* ... 701
- **stretched films:** birefringence of *Krishna Iyer, Sreenivasan, Patil* ... 442

Centrifuging
- **behavior of loose fibrous beds during:** Part II: bulk density of beds *Hearne, Nossar* ... 8
- **behavior of loose fibrous beds during:** Part III: location, shape, and size of droplets of surface moisture *Hearne, Nossar* ... 236
- **behavior of loose fibrous beds during:** Part IV: prediction of final regain *Hearne, Nossar* ... 303

Chromatography
- **liquid:** quantitative determination of scopoletin and lacinilene C 7-methyl ether in aqueous extracts of frost-killed cotton leaf and bract by HPLC *Doolan, Fornes, Gilbert* ... 209

Cleaning
- **and shortening scoured wool mechanically:** processing on the cotton system: SRRC carding cleaner *Shepard, Louis, Simpson* ... 706
- **washing or mechanical:** chemical profile of cotton *Rousselle, Montalvo, Baril* ... 61

Clothing
- **heat and water vapor transfer:** wind induced through clothing *Stuart, Denby* ... 655
- **insulation:** mechanisms of heat flow through *Farnworth* 717
- **protective:** development of a new fire services wool tunic *Mehta, Norman* ... 153

Composite Fibers
- **alpha keratin:** finite element analysis of the composite fiber *Curiskis, Feughelman* ... 271

Composite Shapes
- **Magnaweave process:** from fundamentals to applications *Florentine* ... 620

Computer Simulation
- **of nonwoven fabrics:** mechanical properties: the method *Britton, Sampson, Elliott, Graben, Gettys* ... 363

Corona Treatment
- **cotton:** open-end spun *Abbott* ... 566

Cotton
- **bale or processed fibers:** new method for measuring microdust and trash *Shofner, Lalor, Hanley* ... 78
- **corona treated:** open-end spun *Abbott* ... 566
- **developing fibers:** electron microscopic evidence of bilateral structure in *Boylston, Hebert* ... 469
- **dyeing with reative dye** from polar-nonpolar solvent systems *Chavan, Subramanian* ... 539
- **finished:** relationship between residual catalyst in, and formaldehyde release *Reinhardt* ... 493
- **finishing agents for:** from acrylamide and dialdehydes *Frick, Harper* ... 758
- **formaldehyde transport** via vapor phase *Reinhardt* ... 175
- **honeydew-contaminated:** identification and processing *Perkins* ... 508
- **knits:** prediction of finished weight and shrinkage: Starfish project *Heap, Greenwood, Leah, Eaton, Stevens, Keher* 109
- **leaf and bract:** quantitative determination of scopoletin and lacinilene C 7-methyl ether in aqueous extracts of frost-killed plant parts by HPLC *Doolan, Fornes, Gilbert* ... 209
- **lint cleaning:** systematic errors in Shirley analyzer measurements *Montalvo, Mangialardi* ... 408
- **lint retrieval at ginning:** bale value and spinning performance: background and experimental design *Needham* ... 90
- **lint retrieval at ginning:** bale value and spinning performance: Midsouth experiments, 1981 *Griffin, Mangialardi* ... 92
- **lint retrieval at ginning:** bale value and spinning performance: West Texas experiments, 1981 *Baker, Lalor, Laird* ... 98

lint retrieval at ginning: disadvantages *Backe* 638
neps: counting at the card using templates *Rajaraman* 794
open-end spun: a comparison of different machines fed with slivers from different cottons and cards *Simpson, Louis* 551
open-end spun: effect of dust-control additives on performance *Abbott* 482
outdoor fabrics reinforced with glass fiber *Graham, Ruppenicker* 120
plant parts: isolation of indole-3 carboxaldehyde from *Sankar, Gilbert, Fornes* 51
raw, microorganisms in: letter to the editor *Elsner* ... 568
raw, microorganisms in: authors' reply to comments *Morey, Fischer, Sasser* 569
raw, microorganisms in: authors' reply to comments *Wyatt, Heintz* 570
upholstery fabric and batting: smoldering phenomenon associated with *Donaldson, Yeadon, Harper* 160
washed or mechanically cleaned: chemical profile of *Rousselle, Montalvo, Baril* 61
water swollen, solvent exchanged: dyeing with anionic dyes from dimethylformamide-trichloroethylene solvent mixtures *Chavan, Venkata Rao* 290
water swollen, solvent exchanged: solubility parameters for dyeing with anionic dyes from mixed solvents *Chavan, Venkata Rao, Ahmad* 347
yarns, viscose, and acrylics: relation between twist and abrasion resistance of rotor yarns *Barella, Manich* 453

Cotton Dust
analysis of solids obtained by evaporation of card room humidifier water *Fisher, Fornes, Gilbert* 504
control additives: effect on open-end spinning performance of cotton *Abbott* 482
endotoxin reduction: vapor phase treatments to deactivate *Wade* 615
effect of gin machinery and moisture on fine dust *Columbus, Anthony* 71

Cotton Fabrics
antimicrobial finishing of: with zinc pyrithione *Morris, Welch* 725
binding antibacterial agents to using aluminum and titanium compounds *Morris, Welch* 143
durable press: assessment of fabric performance and distribution of reagent residues from lick roller application of DMDHEU *Rowland, Bertoniere, King* 187
durable press: glyoxal as formaldehyde-free reagent for mild curing applications *Welch* 181
durable press: migration and location of reagent residues *Bertoniere, King, Rowland* 624
durable press: spreading of reagents in *Bertoniere, Rowland* 252
foam application of phosphonium salt flame retardants *Gregorian, Namboodri, Young, Baitinger* 148
laundering: interactions of fiber, finish, and wash conditions *Morton, Thomas* 165
modifying wear life: Part III: liquid ammonia in conjunction with caustic soda as a pretreatment for durable press finish *Raheel* 557
modifying wear life: Part IV: SEM studies of chemically treated fabrics abraded under various conditions *Raheel* 639
reagent residues of DMEU on: a function of pad bath pH and storage period of the treated fabric *Beck, Pasad* 524

Cotton Fibers
cross-sectional shape of different species *Petkar, Oka, Sundaram* 778
***gossypium hirsutum* L.:** morphological and physical effects of colchicine treatment *Yatzu* 515
ideal: reply to comments: relation to observed strength, maturity, and fineness *Dhawan, Neelakantan* 575

Crease
recovery: effect of preheating and alkali treatment on rayon fabrics *Matsukawa, Sakurai, Nakamura, Tonami* 592
sharp fabric crease: bending strain in *Ly, Denby* 571

Crimping
high- and low-crimp Merino wools: influence of nutrition on some properties and their cellular components *Kulkarni* 712
retraction: of textured PET yarn *Gupta, Ailawadi, Ganguly* 520
three-dimensional filaments: load-deformation behavior of: theoretical analysis and experimental verification *Gupta, El-Shiekh* 313

Crosslinking
distribution of reagent residues: assessment of fabric performance and reagent distribution from lick roller application of DMDHEU *Rowland, Bertoniere, King* 187
reagent distribution and durable press performance from foam application of DMDHEU *Rowland, Bertoniere, King* 197

Crosslinking Agents
glyoxal as formaldehyde-free durable press reagent for mild curing applications *Welch* 181

Cross-Sectional Areas
cotton fibers: shapes belonging to different species *Petkar, Oka, Sundaram* 778

Deformation
properties and structural characteristics: using to predict drape coefficient of knitted fabrics *Gaucher, King, Johnston* 297

Diffusion
finite and infinite: automated computation of diffusion equation solutions *Etters, Urbanik* 598

Durable Press
all-cotton fabrics: modifying wear life: Part III: liquid ammonia in conjunction with caustic soda as pretreatment *Raheel* 557
and abrasion: modifying wear life of all-cotton fabrics: Part IV: SEM studies of chemically treated fabrics abraded under various conditions *Raheel* 639
cotton: finishing agents from acrylamide and dialdehydes *Frick, Harper* 758
cotton fabric: migration and location of reagent residues *Bertoniere, King, Rowland* 624
distribution of crosslinking reagent residues: assessment of fabric performance from lick roller application of DMDHEU *Rowland, Bertoniere, King* 187
formaldehyde-free reagent: glyoxal for mild curing applications *Welch* 181
performance and reagent distribution from foam application of DMDHEU *Rowland, Bertoniere, King* 197
reagents: spreading in cotton fabric *Bertoniere, Rowland* 252

Dyeing
and texturing of polyester/viscose blended yarn *Sengupta, Bajaj, Sen* 258
anionic dyes from dimethylformamide-trichloroethylene solvent mixtures: water swollen, solvent exchanged cotton *Chavan, Venkata Rao* 290
of carpets: energy measurements on a continuous dyeing range *Carr, Tincher* 219
of cotton with a reactive dye from polar-nonpolar solvent systems *Chavan, Subramanian* 539
of modified polypropylene: cationic dyes on chlorinated polypropylene *Shah, Jain* 274
solubility parameters for: on water swollen, solvent exchanged cotton with anionic dyes from mixed solvents *Chavan, Venkata Rao, Ahmad* 347

Dyes
disperse: ozone fading of in nylon: microspectrophotometric study of *Kamath, Ruetsch, Weigmann* 391

Lanasol (acid reactive): lightfastness on drawn and undrawn nylons *Shah, Jain* ... 583
uptake of: automated computation of diffusion equation solutions *Etters, Urbanik* ... 598

Economics
U.S. textile industry: changes in concentration *Dardis, Lee* ... 632
Electron Diffraction
regenerated cellulose fibers: study of lattices *Chaudhuri, Aravindanath, Betrabet* ... 701
Energy
consumption: measurements on a continuous carpet dyeing range *Carr, Tincher* ... 219

Fabrics
cotton-containing: interactions of fiber, finish, and wash conditions in laundering *Morton, Thomas* ... 165
cotton upholstery and batting: smoldering phenomenon associated with *Donaldson, Yeadon, Harper* ... 160
fusible interfacings: comparison of performance characteristics of seven types *Koenig, Kadolph* ... 341
knitted: predicting drape coefficient using deformation properties and structural characteristics *Gaucher, King, Johnston* ... 297
outdoor: cotton reinforced with glass fiber *Graham, Rippenicker* ... 120
protective: analysis of heat transfer characteristics in an open flame exposure *Shalev, Barker* ... 475
skin contact wear: consumer preference for *Paek* ... 264
stiffness: electronic instrument for measuring *Kalyanaraman, Sivaramakrishnan* ... 573
underwear: dry heat transfer characteristics of *Holcombe, Hoschke* ... 368
varying fiber content: microscopical study of residual oily soil distribution *Obendorf, Namasté, Durnam* ... 375
Fabric Geometry
space structure: applying capillarity to estimation of *Maejima* ... 427
Fabric Structure
architectural PTFE-coated glass fabrics: structure and limitations *Ansell, Hill, Allgood* ... 692
Fading
ozone: microspectrophotometric study of disperse dyes in nylon *Kamath, Ruetsch, Weigmann* ... 391
Fiber Fineness
distribution analyzer: rapid preparation of fiber snippets for *Buckenham, Whiteley, Giri* ... 388
micronaire value: evaluation of by digital fibrograph *Makwana, Munshi* ... 489
wool tops: distribution of fiber diameter *Lunney* ... 281
Fiber Properties
different species of cotton: cross-sectional shape of *Petkar, Oka, Sundaram* ... 778
Fiber Processing
polyester texturing and spinning: investigations of process/structure/property relationships *Miller, Southern, Ballman* ... 670
raw wool to top: association of raw wool characteristics to *Rottenbury, Andrews, Brown* ... 29
Fibers
acrylic and modacrylic: determining presence in blends using DMF and DMAC *Flor, Prager* ... 15
breakage: a probability model for estimating in rotor spinning *Salhotra, Kambo, Chattopadhyay* ... 435
carbon: surface analyses of: produced from polyacrylonitrile fibers at low carbonization temperatures *Cagliostro* ... 419
snippets: rapid preparation of for fiber fineness distribution analyzer *Buckenham, Whiteley, Giri* ... 388
Fiber Structure
alpha keratin fibers: finite element analysis of the composite fiber *Curiskis, Feughelman* ... 271
bilateral: electron microscopic evidence of in developing cotton fibers *Boylston, Hebert* ... 469
of melt-spun PET: effect of additives on *Warner, Holt* 486
Fibrogram
digital: evaluation of micronaire value by *Makwana, Munshi* ... 489
Perel's length index: examining sliver lengths *Krowicki* 327
Fibrous Material
fluid transport in: study using laser-Doppler anemometry *Howaldt, Yoganathan* ... 544
loose beds: behavior during centrifuging: Part II: bulk density of beds *Hearne, Nossar* ... 8
loose beds: behavior during centrifuging: Part III: location, shape, and size of droplets of surface moisture *Hearne, Nossar* ... 236
loose beds: behavior during centrifuging: Part IV: prediction of final regain *Hearne, Nossar* ... 303
Filaments
three-dimensional crimped: load-deformation behavior of: theoretical analysis and experimental verification *Gupta, El-Shiekh* ... 313
Films
polymer: dispersion and polar force components of surface tension *Saito, Yabe* ... 54
stretched cellulose: birefringence of *Krisha Iyer, Sreenivasan, Patil* ... 442
Finishing
easy-care: unusual effects of some zwitterion compounds as catalysts *Daigle, Reinhardt* ... 24
equipment: E-NTU method as a mass transfer model in design and operation of textile finishing equipment *Groot Wassink, van der Linden* ... 751
foam: influence of foaming gas on stability *Gregorian, Bafford, Duke* ... 267
Finishing Agents
formaldehyde free: imidazolidinone-glyoxal reactant for cellulose *Frick, Harper* ... 660
from acrylamide and dialdehydes: for cotton *Frick, Harper* 758
unbound formaldehyde in: limitations of cold sodium sulfite titration methods for assaying *Kottes Andrews, Reinhardt, Harris* ... 688
Flammability
of carpets tested on the NBS flooring radiant panel *Benisek, Phillips* ... 36
of cotton upholstery and batting: smoldering phenomenon associated with *Donaldson, Yeadon, Harper* ... 160
Flame Resistance
of protective fabrics: analysis of heat transfer characteristics in an open flame exposure *Shalev, Barker* ... 475
Flame Retardants
fluorozirconate and fluorotitanate: neutralizing treated wools *Ellingham, Gordon, Guy, Rosevear* ... 577
for wool: evaluation of metal complexes and tetrabromophthalic acid *Benisek, Craven* ... 438
phosphonium salt: foam application on cotton fabrics *Gregorian, Namboodri, Young, Baitinger* ... 148
wool: and repellency to petrol, oil, water, and acid *Benisek, Edmondson* ... 329
Foam
application of DMDHEU: durable press performance and reagent distribution *Rowland, Bertoniere, King* ... 197
application of phosphonium salt flame retardants to cotton fabrics *Gregorian, Namboodri, Young, Baitinger* .. 148
stability: influence of foaming gas on *Gregorian, Bafford, Duke* ... 267

Formaldehyde
-free finishing agent: imidazolidinone-glyoxal reactant for cellulose *Frick, Harper* ... 660
free, unbound: limitations of cold sodium sulfite titration methods for assaying in textiles *Kottes Andrews, Reinhardt, Harris* ... 688
release: relationship with residual catalyst in finished cotton *Reinhardt* ... 493
vapor transport to cotton *Reinhardt* ... 175
Friction
forces in the heald eye created by yarn movement *Galuszynski, Ellis* ... 462
Fusing
interfacings: comparison of performance characteristics of seven types *Koenig, Kadolph* ... 341

Geometry
of distended samples: phenomena occurring in bursting tests of circular fabric samples *Žurek, Bendkowska* 19
Germproofing
of cotton fabrics: antimicrobial finishing with zinc pyrithione *Morris, Welch* ... 725
of cotton fabrics: binding antibacterial agents to using aluminum and titanium compounds *Morris, Welch* 143
Glass
fibers as reinforcement for cotton outdoor fabrics *Graham, Ruppenicker* ... 120
Glass Fabrics
architectural PTFE-coated: structure and limitations *Ansell, Hill, Allgood* ... 692

Hand
skin contact wear fabrics: consumer preference for *Paek* 264
Heat Transfer
and water vapor: wind induced through clothing *Stuart, Denby* ... 655
characteristics of fabrics: analysis in an open flame exposure *Shalev, Barker* ... 475
dry: characteristics of underwear fabrics *Holcombe, Hoschke* ... 368
Honeydew
contaminated cottons: identification and processing *Perkins* ... 508

Infrared
spectra: jute fibers at different stages of growth *Mukherjee, Mukhopadhyay* ... 473
spectroscopy: predicting wool base of greasy wool *Connell* 651
Insulation
fibrous materials: mechanisms of heat flow through clothing *Farnworth* ... 717

Jute
fibers: infrared spectra at different stages of growth *Mukherjee, Mukhopadhyay* ... 473
fibers: spinning value of *Lahiri, Saha* ... 383

Keratin Fibers
alpha structure: finite element analysis of the composite fiber *Curiskis, Feughelman* ... 271
internal lipids of: cell membrane complex *Leeder, Bishop, Jones* ... 402
Knitted Fabrics
drape coefficient: predicting with deformation properties and structural characteristics *Gaucher, King, Johnston* 297

Laundering
cotton-containing fabrics: interactions of fiber, finish, and wash conditions *Morton, Thomas* ... 165
Lightfastness
of Lanasol (acid reactive) dyes on drawn and undrawn nylons *Shah, Jain* ... 583
Lint
cleaning: systematic errors in Shirley analyzer measurements *Montalvo, Mangialardi* ... 408
retrieval at ginning: bale value and spinning performance: background and experimental design *Needham* ... 90
retrieval at ginning: bale value and spinning performance: Midsouth experiments, 1981 *Griffin, Mangialardi* 92
retrieval at ginning: bale value and spinning performance: West Texas experiments, 1981 *Baker, Lalor, Laird* 98
retrieval at ginning: disadvantages *Backe* ... 638
Looms
size droppings on: correlation with warp breakages *Vidyarthi, Hari, Aggarwal* ... 334

Measurement
of microdust and trash: a new method for bale or processed fiber *Shofner, Lalor, Hanley* ... 78
Mechanical and Physical Properties
of PET fibers: molecular orientation, crystallinity, and thermal dimensional stability affected by elongation temperature *Sawatari, Abumiya, Inoue, Matsuo* ... 783
Melt Spinning
of PET: effect of additives on the structure *Warner, Holt* 486
Microorganisms
on cotton fabric: antimicrobial finishing with zinc pyrithione *Morris, Welch* ... 725
Microscopy
study of residual oily soil distribution on fabrics of varying fiber content *Obendorf, Namasté, Durnam* ... 375
Models
mathematical fitting of modulus-strain curves: PET industrial yarns *Lucas* ... 771
probability: estimating fiber breakage in rotor spinning *Salhotra, Kambo, Chattopadhyay* ... 435
Moisture
and gin machinery: effect on fine dust in cotton *Columbus, Anthony* ... 71
Morphology
and physical effects of colchicine treatment on cotton (*Gossypium hirsutum* L.) fibers *Yatsu* ... 515

Nylon
drawn and undrawn: lightfastness of Lanasol (acid reactive) dyes *Shah, Jain* ... 583
ozone fading of disperse dyes: microspectrophotometric study *Kamath, Ruetsch, Weigmann* ... 391
Nonwovens
mechanical properties: computer simulation of: the method *Britton, Sampson, Elliott, Graben, Gettys* 363
spunbonding process: dynamics, air drag, orientation development *Chen, White, Spruiell, Goswami* ... 44

Optical Properties
and birefringence phenomena in fibers *Hamza, Abd El-Kader* ... 205
Organic
antibacterial agents: binding to cotton fabric using aluminum or titanium compounds *Morris, Welch* ... 143
Orientation
and dynamics and air drag: development in spunbonding process for nonwoven fabrics *Chen, White, Spruiell, Goswami* ... 44

deranged: morphological and physical effects of cholchicine treatment on cotton (*Gossypium hirsutum* L.) fibers *Yatsu* ... 515

Photodegradation
aging of Kevlar® 49 yarns *Brown, Browne, Burchill, Eggleston* ... 214
pH, Pad Bath
and storage period: reagent residues of DMEU on cotton fabric as a function of *Beck, Pasad* ... 524
Pollutants
air: sorption of onto textiles *Walters, Goswami, Vigo* 354
Polyacrylonitrile
fibers: surface analyses of carbon fibers made from, at low carbonization temperatures *Cagliostro* ... 419
Polyester
and viscose blended yarn: simultaneous dyeing and texturing *Sengupta, Bajaj, Sen* ... 258
monofilament abrasion: design and use of a cyclic tensile abrader for filaments and yarns *Miller, Friedman, Turner* ... 733
process/structure/property relationships: investigations of fiber spinning and texturing processes *Miller, Southern, Ballman* ... 670
Poly(ethylene Terephthalate)
affected by elongation temperature: molecular orientation, crystallinity, and thermal dimensional stability *Sawatari, Abumiya, Inoue, Matsuo* ... 783
industrial yarns: mathematical fitting of modulus-strain curves *Lucas* ... 771
melt-spun: effect of additives on the structure *Warner, Holt* ... 486
solvent-treated fibers: sorption and transport properties of, using disperse dyes as molecular probes *Kirby, Cates* 586
textured yarns: crimp retraction of *Gupta, Ailawadi, Ganguly* ... 520
Polymers
on wool: shrink-resist efficiency enhancement of by polyamine pretreatments *Stapleton* ... 445
solutions: fracture barrier in wet spinning *Southern, Ballman* ... 230
Polypropylene
modified: dyeing of: cationic dyes on chlorinated polypropylene *Shah, Jain* ... 274
Printing
wool: developments in: traditional and new methods *Bell, Lewis* ... 125
Protein
contaminant layer: role of: mechanisms of raw wool scouring *Anderson* ... 741

Rayon
crease recovery of fabrics: effect of preheating and alkali treatment *Matsukawa, Sakurai, Nakamura, Tonami* 592
Repellency
of wool to fire, petrol, oil, water, and acid *Benisek, Edmondson* ... 329
Resistivity
of wool to chemical agents: modification by dialdehyde starch treatment *Marzona, Di Modica* ... 729
Rheology
properties of medical tapes used to prevent athletic injuries *Andréasson, Edberg* ... 225

Shrinkage
and finished weight of cotton knits: prediction of: Starfish project *Heap, Greenwood, Leah, Eaton, Stevens, Keher* 109
Shrinkproofing
of wool: efficiency enhancement of two polymers on wool by polyamine pretreatments *Stapleton* ... 445
of wool fabrics: influence of an organic solvent and a cationic surfactant on sulphite treatments for preventing shrinkage *Erra, Garcia Dominguez, Julia, Infante* 665
of wool: quantitative method for in-plant determination of Hercosett 125® in aqueous solution *Smith, Byrne* 360
of wool: TEM study of causes of failure in the chlorine-Hercosett® process *Tester, Makinson* ... 415
of wool: using epoxy-functional acrylic emulsions: polyethylene polyamines as curing agents *Jellinek* ... 763
Sizing
acrylic: for polyester cotton blends *Athar* ... 791
analysis of droppings: correlation with warp breakages *Vidyarthi, Hari, Aggarwal* ... 334
Slivers
fiber length in: examination of Perel's length index *Krowicki* ... 327
Soiling
residual oily soil distribution: microscopical study of fabrics of varying fiber content *Obendorf, Namasté, Durnam* 375
Solvents
dimethylformide-trichloroethylene mixtures: dyeing water swollen, solvent exchanged cotton with anionic dyes from *Chavan, Venkata Rao* ... 290
mixed: with anionic dyes: solubility parameters for dyeing water swollen, solvent exchanged cotton *Chavan, Venkata Rao, Ahmad* ... 347
Sorption
and transport properties of solvent-treated PET fibers using disperse dyes as molecular probes *Kirby, Cates* ... 586
Spectral Analysis
of yarn irregularity: its relationship to other yarn characteristics *Sharieff, Vinzanekar, Narasimham* ... 606
Spectroscopy
near infrared: predicting wool base of greasy wool *Connell* 651
Spectrum Analysis
of indole-3 carboxaldehyde from cotton plant parts *Sankar, Gilbert, Fornes* ... 51
Spinning
open-end: a comparison of different machines fed with slivers from different cottons and cards *Simpson, Louis* 551
open-end: influence of rotor speed, rotor diameter, and carding conditions on yarn quality *Manohar, Rakshit, Balasubramanian* ... 497
open-end: performance of cotton: effect of dust-control additives on *Abbott* ... 482
rotor: a probability model for estimating fiber breakage in *Salhotra, Kambo, Chattopadhyay* ... 435
value of jute fiber *Lahiri, Saha* ... 383
wet: solution fracture barrier in *Southern, Ballman* ... 230
Spunbonding
for nonwoven fabrics: dynamics, air drag, and orientation development *Chen, White, Spruiell, Goswami* ... 44
Strain
bending: in a sharp fabric crease *Ly, Denby* ... 571
Surface Tension
of polymer films: dispersion and polar force components *Saito, Yabe* ... 54
Surfactant
cationic and organic solvent: influence on sulphite treatments for preventing shrinkage in wool fabrics *Erra, Garcia Dominguez, Julia, Infante* ... 665

Temperature Effects
elongation temperature as it affects molecular orientation, crystallinity, and thermal dimensional stability of PET *Sawatari, Abumiya, Inoue, Matsuo* ... 783

Tensile Properties
of native cellulose: effect of bound water on *Nakamura, Hatakeyama, Hatakeyama* 682
polyester monofilament abrasion: design and use of a cyclic tensile abrader for filaments and yarns *Miller, Friedman, Turner* 733
Testing Apparatus
NBS flooring radiant panel: evaluation of carpets *Benisek, Phillips* 36
Testing Procedures
breaking strength and fatigue: rheological properties of medical tapes used to prevent athletic injuries *Andréasson, Edberg* 225
bursting tests of circular fabric samples: geometry of distended samples *Żurek, Bendkowska* 19
wool: influence of wool fragments on *Marler, Lunney* 677
Textiles
finishing equipment: E-NTU method as a mass transfer model in the design and operation of *Groot Wassink, van der Linden* 751
sorption of air pollutants by: literature review *Walters, Goswami, Vigo* 354
U.S. industry: changes in concentration: projections for future *Dardis, Lee* 632
Texturing
and dyeing of polyester/viscose blended yarn *Sengupta, Bajaj, Sen* 258
and spinning processes: investigations of polyester fiber process/structure/property relationships *Miller, Southern, Ballman* 670
high speed: mechanics of: theoretical analysis of belt twisting *Kang, El-Shiekh* 1
thermoplastic yarns: mechanics of: effect of frictional snubbing on pseudo false twisting during set texturing *Hsu, Backer* 530
three-dimensional crimped filaments: load-deformation behavior of: theoretical analysis and experimental verification *Gupta, El-Shiekh* 313
Thermal Treatments
of wool fabrics: protein changes after short treatments *Marshall, Souren, Zahn* 792
Thermoplastic Yarns
mechanics of texturing: effect of frictional snubbing on pseudo false twisting during set texturing *Hsu, Backer* 530
Transport
and sorption properties of solvent-treated PET fibers using disperse dyes as molecular probes *Kirby, Cates* ... 586
fluid: in fibrous assemblies: laser-Doppler anemometry *Howaldt, Yoganathan* 544
Twisting
pseudo false: mechanics of texturing thermoplastic yarns: effect of frictional snubbing on, during set texturing *Hsu, Backer* 530
belt: theoretical analysis of: mechanics of high speed texturing *Kang, El-Shiekh* 1
Twistless Yarns
improved SRRC no-twist yarn system: increased production rate *Salaun, Louis* 103

Washing
machines for textiles: E-NTU method as a mass transfer model in the design and operation of textile finishing equipment *Groot Wassink, van der Linden* 751
Weaving
frictional forces in heald eye *Galuszynski, Ellis* 462
of composite shapes: Magnaweave process: from fundamentals to applications *Florentine* 620

Wool
fibers: internal lipids of *Leeder, Bishop, Jones* 402
flame retardants for: evaluation of metal complexes and tetrabromophthalic acid *Benisek, Craven* 438
flame retarded: neutralizing fluorozirconate and fluorotitanate treatments *Ellingham, Gordon, Guy, Rosevear* 577
fragments: influence on wool testing of *Marler, Lunney* 677
greasy: predicting wool base by near infrared reflectance spectroscopy *Connell* 651
high- and low-crimp Merino: influence of nutrition on some properties and their cellular components *Kulkarni* 712
mechanically cleaned and shortened scoured: processing on the cotton system *Shepard, Louis, Simpson* ... 706
modification by dialdehyde starch treatment *Marzona, Di Modica* 729
printing: developments in *Bell, Lewis* 125
protective clothing: development of new fire services tunic *Mehta, Norman* 153
raw: association between characteristics and processing to top *Rottenbury, Andrews, Brown* 29
raw, scouring: mechanisms of: role of protein contaminant layer *Anderson* 741
repellency of: flame-retardant, petrol, oil, water, and acid repellent wool treated with fluorocarbons *Benisek, Edmondson* 329
shrinkproofing: efficiency enhancement of two polymers on wool by polyamine pretreatments *Stapleton* ... 445
shrinkproofing fabrics: influence of an organic solvent and a cationic surfactant on sulphite treatments for preventing shrinkage *Erra, Garcia Dominguez, Julia, Infante* 665
short thermal treatments of fabrics: protein changes *Marshall, Souren, Zahn* 792
shrinkproofing: TEM study of causes of failure in the chlorine-Hercosett® process *Tester, Makinson* 415
shrink resistance: quantitative method for in-plant determination of Hercosett 125® in aqueous solution *Smith, Byrne* 360
shrink resist treatments with epoxy-functional acrylic emulsions: polyethylene polyamines as curing agents *Jellinek* 763
tops: distribution of fiber diameter *Lunney* 281

Yarn Processing
improved SRRC no-twist system: increased production rate *Salaun, Louis* 103
open-end spinning: influence of rotor speed, rotor diameter, and carding conditions on yarn quality *Manohar, Rakshit, Balasubramanian* 497
theoretical analysis of belt twisting: mechanics of high speed texturing *Kang, El-Shiekh* 1
Yarn Properties
and comber noil removal: effect of single and double carding on *Simpson* 457
irregularity: spectra analysis: relationship to other yarn characteristics *Sharieff, Vinzanekar, Narasimham* 606
Yarns
PET industrial: mathematical fitting of modulus-strain curves *Lucas* 771
photochemical aging of Kevlar® 49 *Brown, Browne, Burchill, Egglestone* 214
rotor: relation between twist and abrasion resistance of cotton, viscose, acrylics *Barella, Manich* 453
textured PET: crimp retraction of *Gupta, Ailawadi, Ganguly* 520